

(19)

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 0 762 768 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
12.03.1997 Bulletin 1997/11

(51) Int Cl.⁶: H04N 7/173

(21) Application number: 96306439.9

(22) Date of filing: 05.09.1996

(84) Designated Contracting States:
DE FR GB IT NL

• Fujita, Hiroyuki
Tokyo 141 (JP)
• Kojima, Yuichi
Tokyo 141 (JP)

(30) Priority: 08.09.1995 JP 231499/95

(71) Applicant: SONY CORPORATION
Tokyo (JP)

(74) Representative: Cotter, Ivan John et al
D. YOUNG & CO.
21 New Fetter Lane
London EC4A 1DA (GB)

(72) Inventors:
• Ito, Norikazu
Tokyo 141 (JP)

(54) Recording and reproducing video data to and from record media

(57) An apparatus and method for recording and reproducing video data to and from a record medium operate to communicate with plural external devices. The apparatus includes plural audio/video data input/output (I/O) devices (10), each of which is programmable and coupled to a respective external device (2) for receiving video data therefrom and transmitting reproduced video data thereto. Each I/O device (10) receives a recording or reproducing external request signal from the associated external device (2), generates a respective recording/reproducing request signal in response thereto, outputs the request signal, receives data reproduced from a record medium during a reproducing operation and supplies the reproduced data to the external device, and receives video data from the external device during a recording operation and supplies the video data for recording on the record medium. A storage control device receives the reproduction and recording request signals and supplies appropriate reproduction and recording control signals in response thereto to the respective I/O device (10) which output the original request signal. The respective I/O device (10) supplies to a storage device appropriate recording/reproduction initiate signals and the storage device either records or reproduces video data to or from the record medium in accordance with the supplied initiate signal, and outputs, during the reproducing operation, the reproduced video data to the respective I/O device (10) which output the reproduction initiate signal.




FIG. 2

EP 0 762 768 A2

control bus means for supplying to the reproducing means the reproducing request control signal output from one of the output control means; and

data bus means for supplying the video data reproduced by said reproducing means to the respective output control means which output the reproducing request control signal.

2. The apparatus of claim 1, wherein said external reproduction request identifies a desired video data; and said record medium includes a plurality of addresses in which video data is stored; and said apparatus further comprises means for identifying an address in said record medium at which the desired video data is located; and wherein the respective output control means outputs the reproducing request control signal including the identified address; and said reproducing means is operable to reproduce from the record medium the desired video data from the identified address included in the reproducing request control signal. 10
3. The apparatus of claim 1, wherein said reproducing means is comprised of a plurality of hard drives. 15
4. The apparatus of claim 1, wherein compressed video data is stored in said record medium; and each of said output control means includes means for decompressing the compressed video data reproduced by said reproducing means and outputting the decompressed video data to the respectively coupled external device. 20
5. The apparatus of claim 1, wherein an external device coupled to one of said output control means is a video data editing device, and an external device coupled to another one of said output control means is an on-air type device. 25
6. The apparatus of claim 1, further comprising a server manager system for supplying respective management control signals to each of said output control means in accordance with a predetermined reproduction schedule; and wherein each of said output control means supplies a respective output control signal corresponding to the supplied respective management control signal to the respectively coupled external device. 30
7. The apparatus of claim 1, wherein the reproducing means is an asynchronous type device; said apparatus further comprising converting means for converting asynchronous signals output from said reproducing means to synchronous signals whereby an amount of time between the output of the reproducing request control signal from a respective output control means and receipt of the reproduced 35

video data by the respective output control means is constant.

8. Apparatus for reproducing video data from a record medium, comprising: 5

a plurality of programmed input/output control means each for receiving a respective external request signal from a respective external device, generating a respective reproduction request signal in response to receipt of said respective external request signal and outputting the respective reproduction request signal, and for receiving reproduced data and outputting the received reproduced data to said respective external device;

storage control means for receiving the reproduction request signal and supplying a reproduction control signal in response thereto to the respective programmed input/output control means which output the reproduction request signal, the respective programmed input/output control means supplying in response to the reproduction control signal a reproduction initiate signal; and

storage means including said record medium for reproducing video data from said record medium in accordance with said reproduction initiate signal and outputting the reproduced video data to the respective programmed input/output control means which output the reproduction initiate signal.

9. The apparatus of claim 8, wherein the external request signal identifies a desired video data; said storage control means supplies a reproduction control signal identifying an address in said record medium at which the desired video data is located; the respective programmed input/output control means supplies a reproduction initiate signal including the identified address to the storage means; and the storage means is operable to reproduce from the record medium the desired video data from the identified address included in the reproduction initiate signal. 40
10. The apparatus of claim 8, wherein the respective programmed input/output control means supplies a reproduction permit signal to the respective external device in response to the reproduction control signal supplied by the storage control means, and supplies said reproduction initiate signal to said storage means after receipt of a reproduce command signal from the respective external device. 45
11. Apparatus for recording video data onto a record medium, comprising: 50

a plurality of input control means, each including programmed control means for outputting a respective recording request control signal in response to receipt of an external recording request supplied by a respective external device coupled to the respective input control means, and for receiving video data from said respective external device;
 recording means for recording supplied video data onto a record medium in accordance with the recording request control signal;
 control bus means for supplying to the recording means the recording request control signal output from one of the input control means; and
 data bus means for supplying the video data received by said one of the input control means to the recording means.

12. The apparatus of claim 11, wherein said record medium includes a plurality of addresses; and said apparatus further comprises means for identifying an address in said record medium at which the received video data is to be stored; and wherein the respective input control means outputs the recording request control signal including the identified address; and said recording means is operable to record on the record medium the supplied video data at the identified address included in the recording request control signal.
13. The apparatus of claim 11, wherein said recording means is comprised of a plurality of hard drives.
14. The apparatus of claim 11, wherein each of said input control means includes means for compressing video data supplied by the respectively coupled external device.
15. The apparatus of claim 11, wherein an external device coupled to one of said output control means is one of a video data editing device, video tape recorder and a camera.
16. The apparatus of claim 11, further comprising converting means for converting said video data supplied by each of said external devices to SCSI-type signals prior to being recorded on the record medium by the recording means.
17. Apparatus for recording video data onto a record medium, comprising:
 a plurality of programmed input/output control means each for receiving a respective external request signal from a respective external device, generating a respective recording request signal in response to receipt of said respective external request signal and outputting the re-

spective recording request signal, and for receiving video data from said respective external device and outputting the received video data; storage control means for receiving the recording request signal and supplying a recording permit signal in response thereto to the respective programmed input/output control means which output the recording request signal, the respective programmed input/output control means supplying in response to the recording permit signal the received video data; and storage means for recording the video data output by a respective one of said programmed input/output control means on said record medium.

18. The apparatus of claim 17, wherein said storage control means supplies a recording permit signal identifying an address in said record medium at which video data is to be recorded in response to receiving the recording request signal; the respective programmed input/output control means supplies a recording initiate signal including the identified address to the storage means; and the storage means is operable to record on the record medium the video data output from the respective programmed input/output control means at the identified address included in the recording initiate signal.
19. The apparatus of claim 18, wherein said storage control means is operable to supply a recording region request signal to said storage means in response to receiving the recording request signal; said storage means supplies a recording region identification signal to said storage control means identifying an address in said record medium at which said video data is to be recorded; and said storage control means supplies to the respective programmed input/output control means said recording permit signal including said address identified in said recording region identification signal.
20. The apparatus of claim 17, wherein the respective programmed input/output control means supplies a recording allowance signal to the respective external device in response to the recording permit signal supplied by the storage control means, and receives the video data from the respective external device in response to the supply of the recording allowance signal.
21. The apparatus of claim 17, wherein each of the programmed input/output control means includes means for adding time codes to the video data received from the respective external device when the received video data does not include time codes.
22. The apparatus of claim 17, further comprising

means for synchronizing each of the programmed input/output control means.

23. Method of reproducing video data from a record medium, comprising the steps of:

receiving by one of a plurality of output control devices an external reproduction request supplied by an external device;
outputting by the output control device which received the external reproduction request a reproducing request control signal;
supplying the reproducing request control signal to a reproducing device;
reproducing in the reproducing device video data from a record medium in accordance with the reproducing request control signal;
supplying the reproduced video data to the output control device which supplied the reproducing request control signal; and
supplying the reproduced video data from the output control device to the external device.

24. The method of claim 23, wherein the external reproduction request identifies a desired video data; and said method further comprises the step of identifying an address in the record medium at which the desired video data is located; and wherein the reproducing request control signal includes the identified address; and said reproducing step is carried out by reproducing from the record medium the desired video data from the identified address included in the reproducing request control signal.

25. The method of claim 23, wherein compressed video data is stored in said record medium; and the method further comprises the step of decompressing compressed video data supplied to the output control device to produce uncompressed video data.

26. The method of claim 23, further comprising the steps of supplying respective management control signals representing a predetermined reproduction schedule to each of the output control means; and supplying from each output control means respective output control signals corresponding to the supplied respective management control signal to respectively coupled external devices.

27. The method of claim 23, further comprising the step of converting signals output from the reproducing device to synchronous signals whereby an amount of time between the output of the reproducing request control signal and the supply of the reproduced video data to the output device is constant.

28. Method of recording video data onto a record medium, comprising the steps of:


receiving by one of a plurality of input control devices an external recording request supplied by an external device;
outputting by the input control device which received the external reproduction request a recording request control signal;
receiving, by the input control device which received the external recording request, video data from the external device;
outputting by the input control device the received video data;
supplying to a recording device the output recording request control signal over a control bus;
supplying to the recording device the output video data over a data bus; and
recording in the recording device the video data supplied over the data bus onto a record medium in accordance with the recording request control signal supplied over the control bus.

29. The method of claim 28, further comprising the steps of identifying an address in the record medium at which the received video data is to be stored; and wherein the output recording request control signal includes the identified address; and said recording step is carried out by recording on the record medium the supplied video data at the identified address included in the recording request control signal.

30. The method of claim 28, further comprising the step of compressing the received video data to produce compressed video data; and wherein the step of recording is carried out by recording the compressed video data on the record medium.

31. The method of claim 28, further comprising the step of converting the received video data to an SCSI-type signal; and wherein the step of recording is carried out by recording the SCSI-type signal on the record medium.

FIG.1








FIG. 2

FIG.3



10.

FIG. 4







FIG. 6





1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

(11)

EP 0 762 768 A3

(12)

EUROPEAN PATENT APPLICATION

(51) Int Cl.⁷: **H04N 7/173**, **H04N 5/00**

(21) Application number: 96306439.9

(22) Date of filing: 05.09.1996

- Fujita, Hiroyuki
Tokyo 141 (JP)
- Kojima, Yuichi
Tokyo 141 (JP)

(30) Priority: 08.09.1995 JP 23149995

(71) Applicant: **SONY CORPORATION**
Tokyo (JP)

(74) Representative: **Cotter, Ivan John et al**
D. YOUNG & CO.
21 New Fetter Lane
London EC4A 1DA (GB)

(72) Inventors:
• Ito, Norikazu
Tokyo 141 (JP)

(54) Recording and reproducing video data to and from record media

(57) An apparatus and method for recording and reproducing video data to and from a record medium operate to communicate with plural external devices. The apparatus includes plural audio/video data input/output (I/O) devices (10), each of which is programmable and coupled to a respective external device (2) for receiving video data therefrom and transmitting reproduced video data thereto. Each I/O device (10) receives a recording or reproducing external request signal from the associated external device (2), generates a respective recording/reproducing request signal in response thereto, outputs the request signal, receives data reproduced from a record medium during a reproducing operation and supplies the reproduced data to the external device, and

receives video data from the external device during a recording operation and supplies the video data for recording on the record medium. A storage control device receives the reproduction and recording request signals and supplies appropriate reproduction and recording control signals in response thereto to the respective I/O device (10) which output the original request signal. The respective I/O device (10) supplies to a storage device appropriate recording/reproduction initiate signals and the storage device either records or reproduces video data to or from the record medium in accordance with the supplied initiate signal, and outputs, during the reproducing operation, the reproduced video data to the respective I/O device (10) which output the reproduction initiate signal.




FIG. 2



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 96 30 6439

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
X	WO 93 16557 A (HATA MASATO ;KOZ MARK C (US)) 19 August 1993 (1993-08-19) * abstract * * page 6, line 13 - page 7, line 34 * * page 8, line 15 - line 31 * * page 9, line 19 - line 24 * * page 11, line 1 - line 26 * * page 13, line 29 - line 33 * * page 15, line 12 - line 19 * * page 17, line 31 - page 18, line 5 * * page 20, line 9 - line 13 * * page 30, line 16 - line 22 * * page 33, line 8 - line 15 *	1-4,6,8,9,11-14,16-18,23-26,28-31	H04N7/173 H04N5/00
A	* figures 1,2 *	10,19,20	
X	US 5 440 336 A (RADOWICK ERNEST W ET AL) 8 August 1995 (1995-08-08) * abstract * * column 1, line 67 - column 2, line 34 * * column 3, line 4 - column 4, line 57 * * column 5, line 13 - column 6, line 12 * * column 10, line 4 - line 19 * * column 18, line 24 - line 34 *	1-4,6,8,9	TECHNICAL FIELDS SEARCHED (Int.Cl.6) H04N
Y	* figures 1,28 *	5,11-18,21-31	
Y	WO 94 12937 A (STARLIGHT NETWORKS INC) 9 June 1994 (1994-06-09) * abstract * * page 1, line 1 - page 4, line 2 * * page 7, line 10 - line 27 * * page 13, line 6 - line 7 * * page 22, line 18 - line 19 *	5,11-18,21-31	
A	* figures 1,2,3,4A *	1,8,10,19,20	
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 21 December 2000	Examiner Fantini, F
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03.82 (P0-C01)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 96 30 6439

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
X	EP 0 625 857 A (BELL TELEPHONE MFG ;ALCATEL NV (NL)) 23 November 1994 (1994-11-23) * abstract * * column 1, line 39 - line 51 * * column 2, line 18 - line 30 * * column 2, line 49 - column 3, line 31 * * column 4, line 4 - line 20 * * column 5, line 52 - line 58 * * column 7, line 53 - column 8, line 39 * * column 12, line 15 - line 27 * * figure 1 * -----	1-3,7-9, 11-13, 16-18, 23,24, 28,29,31	
			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
The present search report has been drawn up for all claims			
Place of search	Date of completion of the search	Examiner	
THE HAGUE	21 December 2000	Fantini, F	
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPC FORM 1503 C3 B2 (P3/C03)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 96 30 6439

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

21-12-2000

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9316557 A	19-08-1993	AU 2313592 A	03-09-1993
		AU 682815 B	23-10-1997
		AU 3271993 A	03-09-1993
		CA 2128322 A	19-08-1993
		DE 69223996 D	12-02-1998
		DE 69223996 T	06-08-1998
		EP 0634075 A	18-01-1995
		EP 0626083 A	30-11-1994
		JP 9500766 T	21-01-1997
		WO 9316430 A	19-08-1993
		US 5566301 A	15-10-1996
US 5440336 A	08-08-1995	AU 694950 B	06-08-1998
		AU 7399094 A	28-02-1995
		CA 2167801 A	09-02-1995
		EP 0710420 A	08-05-1996
		JP 9501031 T	28-01-1997
		WO 9504431 A	09-02-1995
WO 9412937 A	09-06-1994	US 5581784 A	03-12-1996
		EP 0634034 A	18-01-1995
		US 5754882 A	19-05-1998
		US 5721950 A	24-02-1998
		US 5734925 A	31-03-1998
EP 0625857 A	23-11-1994	AU 674063 B	05-12-1996
		AU 6192694 A	24-11-1994
		CA 2123760 A	20-11-1994
		DE 69319327 D	30-07-1998
		DE 69319327 T	29-10-1998
		ES 2118216 T	16-09-1998
		JP 7147674 A	06-06-1995
		US 5528282 A	18-06-1996

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.